

| Ref # | Hits | Search Query  | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|---|--|------------------|---------|------------------|
| L3    | 148  | write adj operation same interrupt adj request            | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/07/25 13:26 |
| L8    | 4    | write adj operation same interrupt same 13h               | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/07/25 13:57 |
| L10   | 24   | log same overflow same flag                               | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/07/25 13:59 |
| L11   | 530  | buffer same overflow same flag                            | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/07/25 14:00 |
| L12   | 65   | buffer same overflow same flag same clear                 | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/07/25 15:07 |
| L13   | 1    | interrupt adj request same (device adj option adj memory) | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/07/25 15:52 |
| L15   | 2    | device adj option adj memory                              | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/07/25 15:52 |
| S2    | 1    | (overflow near4 flag) same clear                          | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/07/25 08:09 |
| S3    | 121  | (overflow near4 flag) same clear                          | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/07/25 08:09 |
| S4    | 117  | (overflow near4 flag) same clear and data                 | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/07/25 08:10 |
| S5    | 84   | (overflow near4 flag) same (clear and data)               | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/07/25 08:13 |
| S8    | 37   | (overflow near4 flag) same (clear and (buffer or log))    | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/07/25 08:16 |

|     |      |   |  |    |     |                  |
|-----|------|---|--|----|-----|------------------|
| S9  | 13   | (overflow near4 flag) same<br>(invalidate log)      | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 08:19 |
| S10 | 0    | (overflow near4 flag) same<br>(invalidate near log) | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 08:16 |
| S14 | 1    | (overflow near4 flag) same (empty<br>and log)       | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 08:34 |
| S16 | 1015 | (overflow adj flag)                                 | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 08:38 |
| S17 | 471  | (overflow adj flag) same (clear<br>data)            | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 08:38 |
| S20 | 0    | (overflow adj flag) same (clear<br>near4 log)       | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 08:39 |
| S21 | 3    | (overflow adj flag) same (clear<br>near4 data)      | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 08:56 |
| S22 | 24   | Int13h  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 08:57 |
| S24 | 10   | write and interrupt and request and<br>Int13h       | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 09:05 |
| S26 | 46   | overrun adj flag                                    | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 09:18 |
| S27 | 0    | overflow near flag near log                         | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 09:18 |
| S28 | 10   | overflow near flag same log                         | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 09:22 |

|     |        |  |  |    |     |                  |
|-----|--------|--|--|----|-----|------------------|
| S29 | 5      | overrun same flag same log                               | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 09:22 |
| S30 | 5      | overrun same log same flag                               | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 09:45 |
| S31 | 1      | ("6629198").PN.  | USPAT;<br>USOCR                            | OR | OFF | 2005/07/25 09:48 |
| S32 | 191878 | non-volatile cache                                       | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 09:49 |
| S33 | 202    | non-volatile adj cache                                   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 10:02 |
| S34 | 0      | (non-volatile adj cache) and<br>(non-volatile adj log)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 10:02 |
| S35 | 30     | (non-volatile near cache) and<br>(non-volatile near log) | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 10:06 |
| S36 | 3      | (non-volatile adj cache) and<br>(address near5 log)      | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 10:09 |
| S37 | 43     | (non-volatile adj cache) and (log)                       | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 10:33 |

|     |    |   |  |    |     |                  |
|-----|----|---|--|----|-----|------------------|
| S38 | 48 | ((("5586291") or ("5586300") or ("5798961") or ("5832516") or ("6088762") or ("6092229") or ("6181630") or ("5353431") or ("5448735") or ("5606681") or ("5832263") or ("5926631") or ("5930515") or ("6032240") or ("6079000") or ("6088799") or ("6208273") or ("6789162") or ("6862659") or ("6047353") or ("5774682") or ("5862316") or ("5884080") or ("5930481") or ("6006032") or ("6189130") or ("5835955") or ("5193162") or ("5594863") or ("5748985") or ("5754888") or ("5870763") or ("5933838") or ("5946698") or ("6014673") or ("6067550") or ("6151607") or ("6219676") or ("6219676") or ("5257370") or ("5297258") or ("5335343") or ("5359713") or ("5469562") or ("5481699") or ("5485608") or ("5519853") or ("5524205") or ("5561795") or ("5720025").pn.")).<br>PN. | USPAT;<br>USOCR                            | OR | OFF | 2005/07/25 11:00 |
| S39 | 10 | (non-volatile adj cache) and (write adj address\$3)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/25 13:08 |